STATE PROCUREMENT OFFICE

SPO PRICE LIST NO. 00-34 (Oahu only)

Replaces Price List No. PL 98-34 (Oahu Only)

ELECTRICAL SUPPLIES

(IFB-00-082-O) April 1, 2000 through March 31, 2001

STATE'S COMMITMENT. Agencies of the following purchasing jurisdictions are required to purchase from this price list:

- 1. Executive Branch;
- 1. Department of Education;
- 1. University of Hawaii; and
- 1. The Judiciary.

EXCEPTION TO THE PRICE LIST. When the use of the price list is not suited to an agency's purpose, the appropriate purchasing jurisdiction may grant an exception to purchase outside of the price list. Executive Branch agencies shall use SPO Form 5 (dated 9/18/96 or later), "Request for Authorization to Purchase Outside of the Price List", for this purpose.

USE OF PRICE LIST BY NONPROFIT ORGANIZATIONS. PURSUANT TO Section 103D-804, Hawaii Revised Statutes (HRS), nonprofit organizations with current purchase of service contract(s) (Chapter 42D or 103F, HRS) have been invited to participate in the State Procurement Office's (SPO) price lists.

If a nonprofit organization (hereinafter called "nonprofit") wished to purchase from a SPO price list, the nonprofit must obtain approval from each price list vendor, i.e., participation must be mutually agreed upon. A price list vendor may choose to deny participation by a nonprofit. Provided, however, if a nonprofit and price list vendor mutually agree to this arrangement, it is understood that the nonprofit will retain its right to purchase from other than a price list vendor.

At the time of award SPO will inform vendor(s) of those nonprofits interested in participating.

VENDORS. Orders for Electrical Supplies are to be placed with the following vendors:

| <u>Vendor</u> | <u>Address</u> | <u>Telephone</u> | <u>Facsimile</u> |
|----------------------------|---|------------------|----------------------|
| Graybar Electric Co., Inc. | 99-833 Iwaena St. Aiea, HI 96701 | 486-3340 | 487-0452 |
| WESCO Distribution, Inc. | 1030 Mapunapuna St. Honolulu, HI 96819 | 839-7261 | 839-9233 834-1652 |

VENDOR CODE for Executive agency annotation on purchase orders is obtainable from the "Alphabetical Vendor Edit Table Report" available at your department's fiscal office. **Agency is cautioned that the remittance address on an invoice may be different from the address of the vendor code annotated on the purchase order.** Therefore, when processing an invoice for payment be sure the correct vendor code is used.

PURCHASE ORDERS shall be issued on an as needed bases during the price list period. It is the responsibility of each agency to insure timely issuance of purchase orders. Vendor is not obliged to accept any order received after the price list expiration date; however, vendor shall fill timely orders for which delivery may extend beyond the expiration date. Do not issue purchase orders specifying delivery after the price list expiration date.

Agencies are encouraged to reduce the number of purchase orders (PO) issued by consolidating as many price list items as possible on each PO. This will reduce the administrative expense of processing purchase orders and vendor deliveries.

"SPO PL NO. 00-34" should be noted on purchase orders issued against this price list.

UNIT PRICES include delivery to destination and all other costs **except** the Hawaii General Excise Tax, currently 4%. Agencies are requested to add the 4% tax to their purchase order total.

DELIVERIES of orders totaling \$50.00 or more shall be completed within five (5) working days from receipt of purchase order. Orders totaling less than \$50.00 shall be available to the using agency on a "will call" basis; delivery may be made at the option of the Contractor according to his delivery schedule. Any order placed in "will call" shall be ready for pick up within three (3) calendar days.

FAILURE TO DELIVER. Vendors are obliged to deliver the items listed on this price list. Agencies are advised that if an order is placed and a vendor is unable to deliver within the time allowed for delivery, the agency should arrange with the vendor for an acceptable substitute. Vendor shall deliver an acceptable substitute at the prices listed after the prior approval has been given by the order agency.

All claims for shortages and/or wrong merchandise shall be made within five (5) working days after receipt of order.

WARRANTY. Items furnished by the Contractor shall be guaranteed by the Contractor for a minimum of ninety (90) calendar days from date of purchase against defects resulting from the use of defective or inferior materials, equipment or from negligent workmanship.

Contractor shall replace or repair any defective workmanship or material at no cost to the State for labor and parts during the warranty period, provided such defects are not due to abuse or negligence on the part of the State. Replacement of defective items will be made within 24 hours after request has been made by the State agency.

PRICE LIST AVAILABLE ON HAWAII FYI

Agency with a computer and modem may retrieve a copy of this price list via the State's **Hawaii FYI** electronic gateway by dialing the following modem number:

| Hawaii | 974-6640 | Kauai | 274-3600 |
|--------|----------|-------|----------|
| Maui | 984-2000 | Oahu | 587-4800 |

At the main menu select *Hawaii Internet Services Menu*, then click on *State Price Lists* for the current listing. If assistance is required to access Hawaii FYI, call the IDSD Assistance Center at 586-1919 from Oahu and 1-800-252-1132 from the neighbor islands.

This price list is also available on the Internet at

VENDOR EVALUATION form should be used to report complaints or commendations; a form is attached for your convenience. Agencies are encouraged to use the form whenever appropriate. Fax completed form(s) to the State Procurement Office, Attn: Caroldynne Yamashita, facsimile 586-0570.

In the event a complaint regarding a vendor's product or performance is filed, the agency may request a meeting with the vendor at the agency's place of business to resolve the problem. This meeting should take place within one week of the complaint.

QUESTIONS relating to this price list may be directed to Caroldynne Yamashita, State Procurement Office, telephone 586-0566.

ROBERT J. GOVERNS, CPPB Procurement Officer

[&]quot;http://www.hawaii.gov/icsd/dags/prices/pricelst.html".

| Item <u>No.</u> | Article & Description | Brand Name & Number | Unit Price | <u>Vendor</u> |
|--------------------|---|------------------------|------------|---------------|
| GRO | UP A - ELECTRICAL SUPPLIES - MI | <u>SCELLANEOUS</u> | | |
| 1. | Plug, one piece industrial type, 15 amp, 25 volt, molded rubber, NEMA 5-15 | <u>Hubbell</u> 1447 | \$2.72 ea. | Graybar |
| 2. | Female connector, one piece industrial type, 15 amp, 125 volt, molded rubber, NEMA 5-15 | 1547 | 3.44 ea. | п |
| 3. | Plug, one piece industrial type, 20 amp, 125 volt, molded rubber NEMA 5-20 | 1433 | 2.70 ea. | п |
| 4. | Female connector, one piece industrial type, 20 amp, 125 volt, molded rubber, NEMA 5-20 | 1533 | 3.54 ea. | п |
| 5. | Nylon or thermal plastic duplex receptacle plate, one gang, white, brown, or ivory | P-8 | .155 ea. | n. |
| 6. | Nylon or thermal plastic switch plate, one gang, white, brown, or ivory | P-1 | .155 ea. | п |
| 7. | Nylon or thermal plastic switch plate, two-gang, white, brown, or ivory | P-2 | .34 ea. | 11 |
| 8. | Nylon or thermal plastic GFI receptacle plate, one gang, white, brown, or ivory | P-26 | .22 ea. | 11 |
| 9. | 302 stainless steel duplex receptacle plate, one gang | 58 | .45 ea. | n |
| 10. | 302 stainless steel switch plate, one gang | 51 | .45 ea. | п |
| 11. | 302 stainless steel wall plate, two gang | 52 | .62 ea. | II |

ItemBrand NameNo.Article & Description& NumberUnit Price

GROUP A - ELECTRICAL SUPPLIES - MISCELLANEOUS (continued)

| 12. | Duplex, receptacle, 2-pole, 3-wire 125 volts, 15 amp., thermal plastic or nylon face, NEMA WD-1 heavy duty, white, brown, or ivory | CR5252 | \$1.61 ea. | Graybar |
|-----|---|----------------|------------|---------|
| 13. | Duplex, receptacle, 2-pole, 3-wire 125 volts, 20 amp., thermal plastic or nylon face, NEMA WD-1 heavy duty, back and side wire, white, brown or ivory, (meeting Fed Spec WC596 & UL 498) | CR5352 | 1.66 ea. | п |
| 14. | Lampholder, porcelain, to fit standard 3-1/4" or 4" outlet box, keyless | <u>Leviton</u> | | |
| | | 9875 | .83 ea. | n |
| 15. | Lampholder, porcelain, to fit standard 3-1/4" or 4" outlet box, with pull chain, cord and 15 amp., 3-wire grounded receptacle 16.AC switch, single pole, 20 amp., 120/277 volts, white, brown, or ivory (Fed Spec WS 896) | 9726-C | 1.75 ea. | 11 |
| 16. | AC switch, single pole, 20 amp., 120/277 volts, white, brown, or | <u>Hubbell</u> | | |
| | ivory (Fed Spec WS 896) | CS1221 | 1.44 ea. | II |
| 17. | AC switch, double pole, 20 amp., 120/277 volts, white, brown, or ivory (Fed Spec WS 896) | CS1222 | 2.15 ea. | 11 |
| 18. | AC switch, 3 way, 20 amp., 120/277 volts, white, brown, or ivory (Fed Spec WS 896) | CS1223 | 1.77 ea. | " |
| 19. | AC switch, 4 way, 20 amp., 120/277 volts, white, brown, or ivory (Fed Spec WS 896) | CS1224 | 3.50 ea. | 11 |

<u>Vendor</u>

| Item <u>No.</u> | <u>A</u> | rticle & Description | Brand Name & Number | Unit Price | <u>Vendor</u> |
|--------------------|------------|--|---------------------------|------------|---------------|
| GRO | UP | A - ELECTRICAL SUPPLIES - MIS | SCELLANEOUS (co | ntinued) | |
| 20. | dup ind | ound fault interrupter, 15 amp., blex GFCI reset on face with icator light, 20 amp feed-thru tection | Eagle GF15 | \$5.65 ea. | Graybar |
| 21. | Gro | ound fault interrupter, 20 amp., blex GFCI reset on face with icator light | GF20 | 6.75 ea. | " |
| 22. | | orescent lampholder, medium oin white thermoset plastic | <u>Leviton</u> 13357-N | .44 ea. | II |
| 23. | | orescent lampholder, medium bin white thermoset plastic | 13053-UN | .44 ea. | II |
| 24. | FS | -2, fluorescent starter | 13886 | .82 ea. | " |
| 25. | FS | -4, fluorescent starter | 13891 | .82 ea. | 11 |
| 26. | FS | -5, fluorescent starter | 13894 | 2.25 ea. | " |
| 27. | flar | ctrician, 7-mil thick vinyl ne retardant, pressure nsitive, 600V, 3/4" x 66' roll | | | |
| | a. | General purpose, for mechanical and electrical (UL 510) | 3M 1700 Temflex | .48 ea. | " |
| | b. | Premium grade, all weather 3/4" X 66' (UL 510, ASTM D-3005) | 3M 33+ Super | 2.50 ea. | п |
| 28. | thic | ober splicing compound, .030" ck ethylene propylene ymer, 3/4" x 30' | 3M 130C | 5.72 ea. | " |
| 29. | .00 1/2 | essure sensitive, glass cloth 7" thick, high temperature, " x 66', thermosetting ssure sensitive adhesive | 3M 27 | 5.10 ea. | п |

| Item <u>No.</u> | | Brand Name & Number | <u>Unit Price</u> | <u>Vendor</u> |
|--------------------|--|------------------------|-------------------|---------------|
| EM7 | - Thin-walled conduit | Western | | |
| 30. | 1/2", 100' per bdl. | <u>Tube</u> 1/2 EMT | \$12.78 bdl. | Graybar |
| 31. | 3/4", 100' per bdl. | 3/4 EMT | 21.90 bdl. | II |
| 32. | 1", 100' per bdl. 1 EMT | 38.20 bdl. | | II |
| PVC | c, electrical conduit | | | |
| 33. | 1/2", 100' per bdl. | Carlon PVC-1/2 | 20.00 bdl. | п |
| 34. | 3/4", 100' per bdl. | PVC-3/4 | 26.00 bdl. | II |
| 35. | 1", 100' per bdl. | PVC-1 | 36.20 bdl. | " |
| <u>Fittir</u> | <u>ngs</u> | | | |
| 36. | EMT 1/2" connectors, set screw | <u>Regal</u> 701 | .085 ea. | " |
| 37. | EMT 3/4" connectors, set screw | 702 | .14 ea. | " |
| 38. | EMT 1/2" couplings set screw | 711 | .092 ea. | II |
| 39. | EMT 3/4" couplings set screw | 712 | .15 ea. | " |
| 40. | EMT 1/2" pulling elbows | Bridgeport 61-DC | 1.50 ea. | II |
| 41. | EMT 3/4" pulling elbows | 62-DC | 1.75 ea. | II |
| 42. | EMT 1/2" straps | Bridgeport 920-S | .035 ea. | н |
| 43. | EMT 3/4" straps | 921-S | .056 ea. | II |
| | | <u>Tork</u> | | |
| 44. | Timer, single pole, single throw, 120V | T1101 | 23.40 ea. | " |
| 45. | Timer, double pole, single throw, 120V | T1103 | 24.40 ea. | " |

| Item <u>No.</u> | | Brand Name & Number | Unit Price | <u>Vendor</u> |
|--------------------|--|--------------------------|-------------|---------------|
| 46. | Timer, double pole, single throw, 280V/277 | T1104 | \$25.40 ea. | Graybar |
| 47. | Timer Motor | Intermatic WG1573-10D | 12.00 ea. | " |
| 48. | Gray, 100/pkg. | <u>Ideal</u> 30-071 | 2.90 pkg. | " |
| 49. | Blue, 100/pkg. | 30-072 | 3.27 pkg. | u |
| 50. | Orange, 100/pkg. | 30-073 | 3.80 pkg. | " |
| 51. | Yellow, 100/pkg. | 30-074 | 4.32 pkg. | II |
| 52. | Red, 100/pkg. | 30-076 | 6.49 pkg. | II |
| 50 | 4.4 (0) | Steel City(T&B) | | |
| 53. | 4" square, 1-1/2" deep, 1/2" knockouts | 52151-1/2 | .385 ea. | II |
| 54. | 4" square, 2" deep, 1/2" x 3/4" knockouts | 52171-1/2 3/4E | .64 ea. | n |
| 55. | 4" octagon box, 1-1/2" deep, 1/2" x 3/4" knockouts | 54151-1/2 | .49 ea. | п |
| 56. | 2" x 4" x 1-1/2" deep, 1/2" knockouts | 58351-1/2 | .49 ea. | н |
| 57. | 2" x 4" x 2-1/8" deep, 1/2" knockouts | 58371-1/2 | .505 ea. | 11 |
| Item | s 58-73 shall be provided in buff or ivo | ory depending on av | ailability. | |
| 58. | One-piece raceway | Wiremold V 500 | .44 ft. | 11 |
| 59. | One-piece raceway | V 700 | .50 ft. | II |
| 60. | 2 hole strap, 1/2" wide | V 504 | .11 ea. | " |
| 61. | 2 hole strap, 5/8" wide | V 704 | .18 ea. | II |

| Item <u>No.</u> | Article & Description | Brand Name <u>& Number</u> | Unit Price | <u>Vendor</u> |
|--------------------|---|-----------------------------------|------------|---------------|
| 62. | 90 degree flat elbow | V 511 | \$.63 ea. | Graybar |
| 63. | 90 degree flat elbow | V 711 | .69 ea. | " |
| 64. | 90 degree external elbow | V 718 | .81 ea. | " |
| 65. | 90 degree internal elbow | V 517 | .80 ea. | " |
| 66. | 90 degree internal elbow | V 717 | .93 ea. | " |
| 67. | 90 degree external elbow | V 518 | .76 ea. | " |
| 68. | Flush type extension adapter | V 5751 | 2.50 ea. | " |
| 69. | Deep Switch and receptacle box, 4-5/8" x 2-7/8" x 2-1/4"D | V 5744S | 6.28 ea. | II. |
| 70. | Switch and receptacle box | V 5748 | 2.79 ea. | " |
| 71. | Switch and receptacle box | V 5747 | 2.31 ea. | II . |
| 72. | Duplex grounding receptacle, 15A, 12SV, Nema 5-15R and box | V 57243G | 6.01 ea. | II |
| 73. | Supporting Clip for 500 or 700 raceway | V 5703 | .18 ea. | II. |

| Item <u>No.</u> | | Brand Name & Number | Unit Price | Vendor |
|--------------------|---|--------------------------------------|-------------|--------|
| GRC | OUP B - FLUORESCENT FIXTURES | | | |
| 74. | 1 lamp, 8' fluorescent strip, 120 volt | Metalux SS-196- 120V-U | \$23.80 ea. | WESCO |
| 75. | 1 lamp, 4' fluorescent strip, with high power factor, 120 volt energy saving ballast | SN-140HRS- 120V-LE3-U | 14.80 ea. | II |
| 76. | 2 lamp, vapor tight, wet location, enclosed industrial fluorescent fixture, high impact diffuser, vandal resistant, 32 watt T8 lamp type, 120 volt, with matching electronic ballast | 8TVT2-232DR- 120V-EB81- WL-VRS | 100.00 ea. | п |
| 77. | 2 lamp, 4' wrap-around fixture, 120 volt, energy saving ballast | W-240A- 120V-LE3-U | 20.25 ea. | II |
| 78. | 2 lamp, 4' low profile surface wraparound fluorescent fixture, 32 Watt T8 lamp type, I20 volt, with matching electronic ballast | W-232A- 120V-EB81 | 28.45 ea. | n |
| 79. | 2 lamp, 4' low profile surface wraparound fluorescent fixture, 32 Watt T8 lamp type, 120 volt, with matching electronic ballast | WS-232A- 120V-EB81 | 33.70 ea. | u |
| 80. | 2 lamp, 4' low profile surface wraparound fluorescent fixture, 32 Watt T8 lamp type, 120 volt, with matching electronic ballast | WS-232A- 277V-EB81 | 35.60 ea. | II |
| 81. | 2 lamp, 4' vapor tight fluorescent fixture with high power factor, energy saving ballast | VT2-240DR- 120V-LE3-WL | 55.00 ea. | II |

| Item No. | | Brand Name <u>& Number</u> | <u>Unit Price</u> | <u>Vendor</u> |
|-------------|--|-----------------------------------|-------------------|---------------|
| GRO | OUP B - FLUORESCENT FIXTURES (| continued) | | |
| 82. | 2 lamp, 4' vapor tight fluorescent fixture, high impact diffuser, vandal resistant, 32 Watt T8 lamp type, I20 volt, with matching electronic ballast | VT2-232DR- 120V-EB81- VRS | \$51.05 ea. | WESCO |
| 83. | 2 lamp, 4' vapor tight, wet location enclosed industrial fluorescent fixture, high impact diffuser, vandal resistant, 32 Watt T8 lamp type, 120 volt, with matching electrionic ballast | VT2-232DR- 120V-EB81- VRS | 52.15 ea. | n |
| 84. | 2 lamp, 4' fluorescent strip with high power factor, energy saving ballast | SS-240- 120V-LE3 | 15.10 ea. | II |
| 85. | 2 lamp, 4' fluorescent strip fixture, 32 Watt T8 lamp type, l20 volt, with matching electronic ballast | SS-232- 120V-EB81 | 22.25 ea. | II |
| 86. | 2 lamp, Tandem 8' lengths low profile surface wraparound fluorescent fixture, 32 Watt T8 lamp type, I20 volt, with matching electronic ballast | 8TWS-232A- 120V-EB81 | 52.65 ea. | II |
| 87. | 2 lamp, Tandem 8' lengths low profile surface wraparound fluorescent fixture, 32 Watt T8 lamp type, 120 volt, with matching electronic ballast | 8TWS-232A- 277V-EB81 | 52.10 ea. | 11 |
| 88. | 4 lamp, 4' wrap-around fixture, 120 volt, energy saving ballast | W-440A-120V- LE3-U | 41.50 ea. | " |
| 89. | 4 lamp, 4' low profile surface wraparound fluorescent fixture, 32 Watt T8 lamp type, I20 volt, with matching electronic ballast | W-432A- 120V-EB81 | 43.30 ea. | II |

| Item <u>No.</u> | | Brand Name & Number | <u>Unit Price</u> | <u>Vendor</u> |
|--------------------|--|----------------------------------|-------------------|---------------|
| 90. | Light Fixture 100w lamp, damp and wet locations, wall installation only, white opal diffuser, wraparound design | <u>Lithonia</u> VR-1 | \$14.00 ea. | WESCO |
| 91. | Light Fixture 100w lamp, damp and wet locations, wall mount only, prismatic lens clear, wraparound design | VR-2 | 14.50 ea. | п |
| 92.4 | lamp, 4' low profile surface wraparound fluorescent fixture, 32 Watt T8 lamp type, 120 volt, with matching electronic ballast | Metalux WS-432A- 120V-EB81 | 43.30 ea. | п |
| 93. | Adapter Plate, cast aluminum for Surface conduit, wet location, uneven surfaces | <u>Lithonia</u> EBC | 10.45 ea. | n. |